Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	560	(generat$3 near3 address) same ((terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:23
S2	6	compar$5 with (generat$3 near3 address) with ((terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:24
S3	47	(compar$5 near3 address) with ((terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:26
S4	2	(compar$5 near3 internal near3 address) same ((terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:26
S5	150	(internal near3 address) same ((terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:27
S6	31	(internal near3 address) with ((terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near2 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:28
S7	1114002	(compar$5 near$5 internal near3 address$2) with (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:31
S8	19598	(compar$5 near$5 internal near3 address$2) with (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) with (transfer$4 or copy$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:32

S9	9209	(compar$5 near$5 internal near3 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near10 (transfer$4 or copy$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:34
S10	0	(compar$5 adj internal adj address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near10 (transfer$4 or copy$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:35
S11	22	(compar$5 adj address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3 or drop$4 or end$3) near10 (transfer$4 or copy$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 16:38
S12	61	(compar$5 near5 (generated or internal) near5 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 17:08
S13	1562	(compar$5 near5 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 17:20
S14	23	(compar$5 near5 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3) near10 (data near3 transfer$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 17:10
S15	172	(compar$5 near5 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3) same (address$2 near2 generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 17:21
S16	106	(compar$5 near5 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3) with (address$2 near2 generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 17:21

S17	79	(compar$5 near5 address$2) near10 (terminat$3 or stop$4 or inhibit$3 or halt$3 or quit$3 or ceas$3 or abort$3 or discontinu$3) near10 (address$2 near2 generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 17:22
S18	1019	(address adj count$2) with (internal near2 address$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:19
S19	14	((address adj count$2) with (internal near2 address$2)) with (data near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 09:19